

KEND®

The Italian Art of Lock Systems

Door Handle
&
Lockset



KENARI DJAJA
SINCE 1965
We provide more than security



P 7200





OPEN THE DOOR
WITH FINGERPRINT

Opening by :

1. Finger Print : max 100 fingerprints
2. RFID Card : max 30 users
3. Pin Code : max 10 pin codes
4. Mechanical Key



Technical Features :

- Auto double locking
- Anti panic function
- Emergency battery
- Low battery warning
- 4 AA battery
- 2 mechanical key



K 6000

- Keypad with key protection system that provides maximum security
- Mute Setting
- 8 Level Volume Control
- Low Battery Indicator
- Access by Card or Fob
- Easy Programming on the Lock
- Built-in Alarm
- Key Override
- 8 User PIN Codes



K 7800



OPEN THE DOOR
WITH FINGERPRINT

- Keypad with key protection system that provides maximum security
- Stores up to 20 cards, fobs or stick-on patches
- Low battery indicator
- Access by card, fob or fingerprint
- Easy Programming on the Lock
- Built-in Alarm
- Key Override
- 10 User PIN Codes



Push-pull
handle



Built-in
voice guide



Weather
resistant




Easy programming
and use



Auto
re-locking



Built-in
alarm





2 Way Solution

K 5200

- Double Locking Function
- 2 Way Solution
- Random Security Coding Function
- Panic Release Handle Type
- One Touch Mute Function
- Intrusion Warning Function
- Mischief & Hacking Prevention System
- Volume Control System
- Auto Lock Function
- Auto Re-Locking Function
- Battery Level Indicator and Alarm for Battery Replacement Time
- High Reliance Mechanical Mortise Lock Type
- Free Direction Mortise Lock Type



K 325 AL for Aluminium Door

- Specification**
- Operation Method :
 - 1 Master Password
 - 3 User Password
 - 100 Cards
 - Battery : 4 AA Alkaline Battery

- Technical Features**
- Anti-theft System
 - Prank Prevention
 - Low Battery Warning
 - Emergency Power Supply

K 325 CL for Glass Door



K 325 GL for Glass Door






GHD 0002

Material : Stainless Steel
Finish : US32




GHD 0003 I
GHD 0003 D32X350mm

Material : Stainless Steel
Finish : US32




GHD 0033 - D38 x 47.5cm

Material : Stainless Steel
Finish : US32 + US32D




GHD 9602 - 38 x 800mm

Material : Stainless Steel
Finish : US32D + Wood




GHD 9605 - 32 x 600mm

Material : Brass
Finish : US15 + Wood




GHD 9603 - 38 x 1200mm

Material : Stainless Steel
Finish : US32 + US32D




GHD 0031 - D38 x 175cm


Material : Stainless Steel
Finish : US32 + US32D




GHD 0036 - D38 x 100cm
Material : Stainless Steel
Finish : US32 + US32D




GHD 0037 - D40 x 100cm
Material : Stainless Steel
Finish : US32D




GHD 4501 D32 x 600 x 900mm
Material : Stainless Steel
Finish : US32D + US32




GHD 4502 D32 x 600 x 900mm
Material : Stainless Steel
Finish : US32D + US32



GHD 4503 D25 x 600 x 800mm
Material : Stainless Steel
Finish : US32D + US32



GHD 4504 D38 x 600 x 800mm
Material : Stainless Steel
Finish : US32D + US32




GHD 4505 D30 x 600 x 800mm
Material : Stainless Steel
Finish : US32D + US32

Pull Handle



P 75.69
Material : Stainless Steel
Finish : US32D



P 75.74
Material : Stainless Steel
Finish : US32D

HOLLOW



HREO 75.01

Material : Stainless Steel
Finish : US32D
for Aluminium Door



HRE 75.01

Material : Stainless Steel
Finish : US32D



HRE 75.06

Material : Stainless Steel
Finish : US32D



HRE 75.17


Material : Stainless Steel
Finish : US32D



HRE 75.58


Material : Stainless Steel
Finish : US32D

Pull / Push Plate




PR 73.01

Material : Stainless Steel
Finish : US32D




PP 73.06

Material : Stainless Steel
Finish : US32D




PP 73.06 TL

Material : Stainless Steel
Finish : US32D
without cylinder hole



PUSH 73.07

Material : Stainless Steel
Finish : US32D



PUSH 73.07 - TL

Material : Stainless Steel
Finish : US32D
without cylinder hole

Flush Handle & Escutcheon




FRP 75.01

Material : Stainless Steel
Finish : US32D
TI-PVD




FPP 75.01

Material : Stainless Steel
Finish : US32D



FPP 75.03

Material : Stainless Steel
Finish : US32D



FPP 75.07

Material : Stainless Steel
Finish : US32D



E 73.01

Material : Stainless Steel
Finish : US32D



E 73.05

Material : Stainless Steel
Finish : US32D



E 75.10

Material : Stainless Steel
Finish : US32 + US32D



E 75.75

Material : Stainless Steel
Finish : US32D
US32









E 85.01

Material : Stainless Steel
Finish : US32D

NEW ARRIVAL



					
					
HRE 85.511 Material : Zinc Alloy Finish : US26D	HRE 85.510 Material : Zinc Alloy Finish : Dark Umber	HRE 85.512 Material : Zinc Alloy Finish : US26D	HRE 85.509 Material : Stainless Steel Finish : US32D	HRE 85.508 Material : Stainless Steel Finish : US32D	HRE 85.513 Material : Zinc Alloy Finish : US26D

CASTING

				
				
HRE 75.02 Material : Stainless Steel Finish : US32 + US32D	HRE 75.15 Material : Stainless Steel Finish : US32D	HRE 75.29 Material : Stainless Steel Finish : US32D	HRE 75.30 Material : Stainless Steel Finish : US32D	HRE 75.33 Material : Stainless Steel Finish : US32D
				
				
HRE 75.36 Material : Stainless Steel Finish : US32D	HRE 75.44 Material : Stainless Steel Finish : US32D	HRE 75.45 Material : Stainless Steel Finish : US32D	HRE 75.69 Material : Stainless Steel Finish : US32D	HRE 75.85 Material : Stainless Steel Finish : US32D
				
				
HRE 75.87 Material : Stainless Steel Finish : US32D	HRE 75.90 Material : Stainless Steel Finish : US32D	HRE 75.92 Material : Stainless Steel Finish : US32D	HRE 75.94 Material : Stainless Steel Finish : US32D	HRE 85.503 Material : Stainless Steel Finish : US32D

Lockcase for Wood Door

K87735-40/60
For Single Action Door



TYPE	E (BACKSET)	S
K87735-40	40	66
K87735-60	60	86

Specification



Case : Steel, black color painted
Face plate : Stainless Steel
Striking plate : Stainless Steel
Latch bolt : Brass nickel plated, Reversible
Dead bolt : Brass nickel plated,
Reinforce steel plate inside

Finish :

● US32D (Satin Stainless Steel)



K87738-60
For Single/Double Action Door



TYPE	E (BACKSET)	S
K87738-40	40	66
K87738-60	60	86

Specification

Case : Steel, black color painted
Face plate : Stainless Steel
Striking plate : Stainless Steel
Latch bolt : Brass nickel plated, Adjustable
Dead bolt : Brass nickel plated,
Reinforce steel plate inside


Finish :

● US32D (Satin Stainless Steel)



Lockcase for Aluminium Door

K87735-25
For Single Action Door



Specification


Case : Steel, black color painted
Face plate : Stainless Steel
Striking plate : Stainless Steel
Latch bolt : Brass nickel plated, Reversible
Dead bolt : Brass nickel plated

Finish :

● US32D (Satin Stainless Steel)



K87738-25
For Single/Double Action Door



Specification

Case : Steel, black color painted
Face plate : Stainless Steel
Striking plate : Stainless Steel
Latch bolt : Brass nickel plated, Adjustable
Dead bolt : Brass nickel plated

Finish :


● US32D (Satin Stainless Steel)





Lockcase for Wood Door

K87700
Dead Lock




TYPE	E (BACKSET)	S
K87700-40	40	66
K87700-60	60	86

Specification
Case : Steel, black color painted
Face plate : Stainless Steel
Striking plate : Stainless Steel
Hook bolt : Stainless Steel

Finish:
● US32D (Satin Stainless Steel)



K87720
For Sliding Door



TYPE	E (BACKSET)	S
K87720-40	40	60
K87720-60	60	80


Heavy Duty Lockcase

Technical Feature

- Case : Steel, Chrome plated
- Dead Bolt : Solid Stainless Steel SUS 304, single throw
- Latch Bolt : Solid Stainless Steel SUS 304, Reversible
- Face Plate : Stainless Steel SUS 304
- Striking Plate : Stainless Steel SUS 304

Standard : DIN 18250

Backset/Axis : 55mm/72mm



KEND 75720-55 US32D

KEND 75710-55 US32D

KEND 75810-55 US32D



Function : Institutional Lock with Roller Latch

- Roller latch is operated by lever handle or cylinder from either side
- Dead Bolt is operated by cylinder from either side
- Can be applied on combination handle (pull-outside, lever inside)

Function : Institutional Lock with Bevel Latch


- Latch Bolt is operated by lever handle or cylinder from either side
- Dead Bolt is operated by cylinder from either side

Function : Anti Panic Lock for Hotel Lock or Exit Door

- Automatic DEADLOCKING, when the door is closed
- Outside operation by key to retract the Dead Bolt
- PANIC FUNCTION by turning inside handle the dead bolt will be withdrawn and latch bolt release
- Outside handle must be activated

Double Cylinder 08610

TYPE	A(mm)	B(mm)	L(mm)
08610-10	32.5	32.5	65
08610-13	34.5	34.5	69
08610-18	39.5	39.5	79



Specification
Material : Brass

Operation
360° key relation when key is inserted and rotated on one side, opposite is not operative


- Precision Mode
- Smooth operation
- Anti corrosion
- Design for less abrasion
- Keying system flexibility

Finish :
● BRS (Unpolished Brass)

- US14 (Nickel Plated)



Knob Cylinder K2541-65K



Specification
Material : Brass


Operation
Inside : Operated by knob
Outside : 360° key relation when key is inserted and related

Finish :
● BRS (Unpolished Brass)

- US14 (Nickel Plated)



Turnpiece WC Cylinder K3116-61




Specification
Material : Brass


Operation
Inside : Operated by turnpiece
Outside : Operated by a coin or other flat object for emergency purpose

Finish :
● AB (Antique Brass)

- US14 (Nickel Plated)



Brass Padlock




- Technical Features :**
- Belt sanded solid brass body
 - Nickel plated, carbonitrided steel shackle
 - Shackle double locking system
 - Available key system on request

Type	A	C	D	L	S
K25120-50	50	29,5	8	27,5	17
K25120-60	60	35	10	35	19


Padlock

EURO-PLUS

CILINDRO DI ALTA SICUREZZA
HIGH SECURITY CYLINDER




- ✓ Precision made
- ✓ Smooth operation
- ✓ Reversible key
- ✓ Pushing resistance
- ✓ Picking resistance
- ✓ Available keying system on request



TYPE	L	A	B
KE610-10	65 mm	32.5 mm	32.5 mm
KE610-15	74 mm	37 mm	37 mm

Double Cylinder KE610

- Specification**
Material : Brass
- Operation**
360° key relation when key is inserted and rotated on one side, opposite side is not operative.
- Finish :**
 - BRS (Unpolished Brass)
 - US14 (Nickel Plated)



TYPE	L	A	B
KE612-34K	65 mm	32.5 mm	32.5 mm
KE612-15K	74 mm	37 mm	37 mm

Knob Cylinder KE612

- Specification**
Material : Brass
- Operation**
Inside : Operated by knob
Outside : 360° key relation when key is inserted and related
- Finish :**
 - BRS (Unpolished Brass)
 - US14 (Nickel Plated)


Master Key
Available
on request



K25123-50 Euro Plus



K25123-60 Euro Plus



- Belt sanded solid brass body
- Nickel plated, carbonitrided steel shackle
- Shackle double locking system
- Nickel plated, carbonitrided steel shackle
- Precision made
- Smooth operation
- Reversible key
- Pushing resistance
- Picking resistance
- Available keying system on request

Type	A	C	D	L	S
K25123-50	50	29,5	8	27,5	17
K25123-60	60	35	10	35	19

Our Showroom :



• Graha Mas Kebon Jeruk,
Blok C5-6 Jl. Raya Perjuangan No. 1
Telp : (021) 536 3506



• Jl. Pinangsia Raya 16 B-C
Telp : (021) 690 5280



• Jl. RS. Fatmawati 72/14-15
Cipete (Blok A)
Telp : (021) 720 0630



• Kenari Baru Lt.2 Blok D 1-2
Telp : (021) 391 4370



• Plaza Kenari Mas, GF Blok C
Telp : (021) 3984 2790



• Summarecon Mal Serpong, Lt.2/09B
Telp : (021) 547 4488



Bandung :
Jl. Kebon Kawung no. 64 A-B
Telp : (022) 426 6388



Makassar :
Jl. Sulawesi No.201
Telp : (0411) 361 0030



Semarang :
Jl. Agus Salim,
Komplek THD Blok C/8
Telp : (024) 356 4254/55



Jogjakarta :
Jl. Magelang KM 1 No.67 Kav. C
Kricak, Tegalrejo
Telp : (0274) 562 312



Denpasar :
Jl. Teuku Umar Barat (Marlboro) No.55
Telp : (0361) 490 678



 **Our Location**

Distributor Resmi :

Surabaya :

- PT. Andhipaputra Rekayasa, Jl. Embong Sawo No. 2 Kav. 8-9
Telp : (031) 548 0808, Fax : (031) 548 1818
- ROOMS, Jl. Kedungdoro No. 58 Surabaya
Telp : (031) 531 2000, Fax : (031) 546 3888

Denpasar :



PT. Adika Jaya Dewata, Jl. Teuku Umar No. 200
Telp : (0361) 264 410, Fax : (0361) 246 939

Lombok :

Athaya Woods
Telp : (0370) 630 999



www.kenaridjaja.com

follow :  @kenaridjaja  kenari djaja  @kenaridjaja